



SWG DIMENSIONS & WEIGHTS

SWG gauge wall thickness									
Outside diameter		22	20	18	16	14	12	11	10
		mm	mm	mm	mm	mm	mm	mm	mm
		0.711	0.711	0.711	0.711	0.711	0.711	0.711	0.711
		inches	inches	inches	inches	inches	inches	inches	inches
		0.028	0.028	0.028	0.028	0.028	0.028	0.028	0.028
inches	mm	kg/ft	kg/ft	kg/ft	kg/ft	kg/ft	kg/ft	kg/ft	kg/ft
		kg/m	kg/m	kg/m	kg/m	kg/m	kg/m	kg/m	kg/m
1/4	6.350	0.030	0.038	0.047	0.058	0.067			
.250		0.100	0.124	0.156	0.191	0.219			
5/16	7.938	0.039	0.049	0.062	0.078	0.091	0.106		
.313		0.128	0.160	0.204	0.256	0.300	0.349		
3/8	9.525	0.048	0.060	0.077	0.098	0.116	0.138	0.147	
.375		0.156	0.196	0.252	0.320	0.379	0.453	0.483	
1/2	12.700	0.065	0.082	0.106	0.137	0.165	0.202	0.218	0.233
.500		0.212	0.268	0.349	0.449	0.540	0.662	0.716	0.765
5/8	15.875	0.082	0.104	0.136	0.176	0.214	0.265	0.289	0.312
.625		0.269	0.341	0.445	0.578	0.701	0.871	0.949	1.02
3/4	19.050	0.099	0.126	0.165	0.215	0.263	0.329	0.360	0.390
.750		0.325	0.413	0.541	0.706	0.861	1.08	1.18	1.28
7/8	22.225	0.116	0.148	0.194	0.254	0.312	0.393	0.431	0.468
.875		0.381	0.485	0.638	0.834	1.02	1.29	1.41	1.54
1	25.400	0.133	0.170	0.224	0.294	0.361	0.457	0.502	0.547
1.000		0.437	0.557	0.734	0.963	1.18	1.50	1.65	1.79

Prime Tube Impex

35/43, Sonarika Building, Chandawadi, Opp. 2nd Carpenter Street, Nanubhai Desai Road, Mumbai - 400004 (India)

E: sales@primetubeimpex.com / info@primetubeimpex.com | T: +91-22-66151931, 932 | W: primetubeimpex.com